Patent Claims

- 1. A method of preparing a polymer film or marking comprising printing a polymerizable liquid crystal material onto a substrate and polymerising said liquid crystal material to form the polymer film or marking, wherein the polymerizable liquid crystal material does not contain a solvent, thinner, dispersion agent, polymeric binder, or a monomer compound that can be converted into the polymeric binder by polymerisation.
 - 2. A method according to claim 1, wherein the polymerisable LC material is polymerised at a temperature below 60 °C.
- A method of preparing a polymer film, marking or pigment,
 comprising printing said polymer film, marking or pigment with a polymerizable liquid crystal material comprises at least one compound of formula I and/or at least one compound of formula II

$$P-Sp \xrightarrow{(L)_r} COO \xrightarrow{(L)_s} R$$

wherein

5

- 30 P is a polymerisable group,
 - Sp is a spacer group or a single bond, and
- R is halogen, straight chain or branched alkyl with 1 to 20 C atoms, that is unsubstituted, mono- or polysubstituted, in each case independently, by F,

5		· .	CI, Br, I or CN, and wherein one or more non-adjacent CH_2 groups are optionally replaced, in each case independently from one another, by -O-, -S-, -NH-, -NR ⁰ -, -SiR ⁰ R ⁰⁰ -, -CO-, -COO-, -OCO-, -OCO-O-, -SO ₂ -, -S-CO-, -CO-S-, -CH=CH- or -C=C- in such a manner that O and/or S atoms are not linked directly to one another,
10		R ⁰ and R ⁰⁰	are, independently of each other, H or alkyl with 1 to 12 C atoms,
15		L	is F, Cl, Br, or an alkyl, alkoxy, alkylcarbonyl or alkoxycarbonyl group with 1 to 12 C atoms, wherein one or more H atoms, each independently, are optionally replaced by F or Cl, and
		r and s	are independently of each other 0, 1, 2, 3 or 4.
20	4.	A method according to claim 3, wherein the polymerisable liquid crystal material is a nematic material.	
	5.		according to claim 3, wherein the polymerisable liquid erial is a chiral nematic or cholesteric material.
25	6.	A method according to claim 3, wherein the the polymerisable liquid crystal material has either a nematic phase or a chiral nematic or cholesteric phase at room temperature.	
30	7.	A method according to claim 3, wherein the polymerisable liquid crystal material comprises at least one chiral compound which can be polymerisable or non-polymerisable.	
35	8.	A method according to claim 3, wherein the polymerisable liquid crystal material comprises at least one compound of formula I and/or II wherein R is a chiral group.	

- 9. A method according to claim 3, wherein the polymerisable liquid crystal material comprises at least one compound which induces and/ or enhances planar alignment
- 5 10. A method according to claim 3, wherein the polymerisable liquid crystal material further comprises at least one polymerisable mesogenic compound having two or more polymerisable groups.
- 11. A method according to claim 3, wherein the polymerisable liquid crystal material further comprises at least at least one polymerisable mesogenic compound having one polymerisable group.
- 15 12. A method according to claim 3, wherein the polymerisable liquid crystal material comprises
 - 3 60 % of one or more direactive mesogenic compounds,
 - 7 90 % of one or more monoreactive mesogenic compounds of formula I and II,
 - 0 to 70 % of one or more further monoreactive mesogenic compounds,
 - 0.1 to 10 % of one or more surfactants, and
 - 0.1 to 10 % of one or more photoinitiators.
 - 13. A polymerisable liquid crystal material comprising at least one compound of formula I and at least one compound of formula II

20

r and s are independently of each other 0, 1, 2, 3 or 4.

optionally replaced by F or Cl, and

one or more H atoms, each independently, are

14. A liquid crystal polymer, liquid crystal pigment, oriented liquid crystal polymer film or marking obtained from a polymerisable liquid crystal material according to claim 13.

35

30

5

10

15

20

- 15. A liquid crystal pigment obtained from a polymer or polymer film according to claim 14.
- An optical, electrooptical, decorative, security, cosmetic, diagnostic, electric, electronic, charge transport, semiconductor, optical recording, electroluminescent, photoconductor and electrophotographic item comprising a polymerisable liquid crystal material according to claim 13, or a liquid crystal polymer, liquid crystal pigment, oriented liquid crystal polymer film or marking obtained from said polymerisable liquid crystal material.
 - 17. A decorative, security, authentification or identification marking, thread or device comprising a polymerisable liquid crystal material according to claim 13, or a liquid crystal polymer, liquid crystal pigment, oriented liquid crystal polymer film or marking obtained from said polymerisable liquid crystal material.
- 18. A decorative, security, authentification or identification marking, thread or device according to claim 17, comprising at least two chiral nematic materials that differ from each other in their handedness and/or their reflection colour and/or their colour flop.
- 25 19. An object, document of value or hot stamping foil comprising a decorative, security, authentification or identification marking, thread or device according to claim18.
- A polymerisable liquid crystal compound that is of formula IIa

$$HC_2$$
=CHCOO(CH₂)₆O $-$ COO $-$ n-C₅H₁₁ IIa.

 A polymerisable liquid crystal material comprising the compound of claim 20 and the compound of formula la

5
$$HC_2$$
=CHCOO(CH₂)₆O $-$ COO $-$ n-C₅H₁₁ la

- 22. A polymerisable liquid crystal material according to claim 13, wherein
- in the compound of formula I or II,
 r and s are 0,
 P is an acrylate, methacrylate, vinyl or epoxy group,
 L is F or methyl, or

R is straight chain alkyl with 1 to 15 C atoms, or wherein in the compound of formula I, r is 1 or 2, or

wherein in the compound of formula II, r or s is 1 or 2, or both r and s are 1 or 2.

23. A polymerisable liquid crystal material according to claim 13, wherein in the compound of formula I and/or II, R is a chiral group.

25

15